


土質柱状図

(註) 1. 試料採取方法の記号 (記号の右の数字は試料番号)

- 1 乱さない試料
- 2 貫入試験機による試料
- 3 コア-試料

2. 試料採取深度と回取比



NO. 2

件名 千葉市立平山小学校新築に伴う地質調査委託

調査場所 千葉市平山地区

標高 +9.230m

調査年月日 S.47.5.5~5.8

孔内水位 GL-7.50m

標尺 m	標高 m	深 度 m	層 厚 m	記 号	色 調	土 質 名	観 察	標準貫入試験					試料採取方法	試料採取深度 m							
								深 度 m	N 値 回/cm	10cm毎の打撃回数					N 値						
										10	20	30	0	10	20	30	40	50			
0	9.230	0.00				暗褐色 粘土		1.15	3/31	1/3	1	1/8									
	+8.530	0.70	0.70			黄茶褐色 粘土	全体に黒褐色の角状物存在	1.25	3/31	1/3	1	1									
						黄褐色 粘土	粘土質の△及圓結核状物存在	2.15	3/32	1/2	1	1									
						黄褐色 粘土		2.25	3/32	1/2	1	1									
						黄褐色 粘土		3.15	5/39	3/5	1/1	2/3									
						黄褐色 粘土		3.54	5/39	3/5	1/1	2/3									
						黄褐色 粘土		4.15	3/32	1/1	1	1/1									
						黄褐色 粘土		4.27	3/32	1/1	1	1/1									
5	+4.430	4.80	4.10			黄褐色 粘土混り細砂	砂中、水	5.15	6/32	3/4	1/6	3/2									
						黄褐色 粘土混り細砂	全体に黄褐色の粘土塊存在	5.27	6/32	3/4	1/6	3/2									
						黄褐色 粘土混り細砂		6.15	6/30	2	2	2									
						黄褐色 粘土混り細砂		6.25	6/30	2	2	2									
						黄褐色 粘土混り細砂		7.15	8/30	3/3	3/3	3									
						黄褐色 粘土混り細砂		7.25	8/30	3/3	3/3	3									
						黄褐色 粘土混り細砂		8.15	10/30	3	3	4									
						黄褐色 粘土混り細砂		8.25	10/30	3	3	4									
						黄褐色 粘土混り細砂		9.15	16/30	5	5	6									
						黄褐色 粘土混り細砂	黄褐色の角状物及び圓結核状物存在	9.25	16/30	5	5	6									
10						黄褐色 粘土混り細砂		10.15	21/30	7	7	7									
						黄褐色 粘土混り細砂		10.25	21/30	7	7	7									
						黄褐色 粘土混り細砂		11.15	31/30	8	11	12									
						黄褐色 粘土混り細砂		11.25	31/30	8	11	12									
						黄褐色 粘土混り細砂	黒褐色の角状物及び圓結核状物存在	12.15	28/30	8	10	10									
						黄褐色 粘土混り細砂		12.25	28/30	8	10	10									
						黄褐色 粘土混り細砂		13.15	21/30	7	7	7									
						黄褐色 粘土混り細砂		13.25	21/30	7	7	7									
						黄褐色 粘土混り細砂	所々に混入	14.15	19/30	5	6	8									
						黄褐色 粘土混り細砂		14.25	19/30	5	6	8									
15	5.670	14.90	1.80			暗黄褐色 粗砂		15.15	30/30	9	10	11									
						暗黄褐色 粗砂		15.25	30/30	9	10	11									
						暗黄褐色 粗砂		16.15	41/30	10	15	16									
						暗黄褐色 粗砂		16.25	41/30	10	15	16									
						暗黄褐色 粗砂	均一な粗砂が主体	17.15	45/30	12	18	15									
						暗黄褐色 粗砂		17.25	45/30	12	18	15									
						暗黄褐色 粗砂	所々に微細砂が混入	18.15	40/30	11	13	16									
						暗黄褐色 粗砂		18.25	40/30	11	13	16									
						暗黄褐色 粗砂		19.15	59/32	18	22	10/2									
						暗黄褐色 粗砂		19.27	59/32	18	22	10/2									
20	-11.110	20.84	25.44			暗黄褐色 粗砂		20.15	59/32	22	28										
						暗黄褐色 粗砂		20.24	59/32	22	28										