

No.		土質柱状図				調査期間 昭和48年6月25日~昭和48年6月28日												
調査名		調査地点				地盤高		調査員		調査地区		ボーリング番号		地下水位				
標尺 (m)	地下水位 (m)	深度 (m)	層厚 (m)	柱状図	土質分類	色調	観察事項	標準貫入試験					相対密度及びコンシステンシー	試料採取		標尺 (m)		
								深度 (m)	打撃回数 (回/cm)	N 値					深度 (m)		番号	
										(回/cm)	10	20		30				40
1					ロ-△	黄褐色	腐植物炭化物等混入	1.15	1	1	3					1.15	1	
2								1.48	1	1	13					1.48	1	
3		3.20	3.20					2.15	1	1	3					2.15	2	
4		4.20	1.00		細砂	黄褐色	腐植物炭化物等混入	2.45	1	1	3					2.45	2	
5								3.15	2	3	7					3.15	3	
6								3.45	2	3	30					3.45	3	
7								4.15	4	4	14					4.15	4	
8								4.45	4	4	30					4.45	4	
9					粗砂	黄褐色	腐植物炭化物等混入	5.15	5	6	18					5.15	5	
10		6.50	2.30					5.45	5	6	30					5.45	5	
11								6.15	8	12	32					6.15	6	
12								6.45	8	12	30					6.45	6	
13								7.15	11	16	44					7.15	7	
14								7.45	11	16	30					7.45	7	
15								8.15	10	15	40					8.15	8	
16								8.45	10	15	30					8.45	8	
17								9.15	10	14	38					9.15	9	
18								9.45	10	14	30					9.45	9	
19					粗砂	黄褐色	腐植物炭化物等混入	10.15	9	11	32					10.15	10	
20								10.45	9	11	30					10.45	10	
21								11.15	10	13	36					11.15	11	
22								11.45	10	13	30					11.45	11	
23								12.15	12	16	44					12.15	12	
24								12.45	12	16	30					12.45	12	
25								13.15	12	14	42					13.15	13	
26								13.45	12	14	30					13.45	13	
27								14.15	11	13	43					14.15	14	
28								14.45	11	13	30					14.45	14	
29		15.10	8.60					15.15	12	12	34					15.15	15	
30								15.45	12	12	30					15.45	15	
31								16.15	1	1	2					16.15	16	
32								16.45	1	1	35					16.45	16	
33								17.15	19	16	6					17.15	17	
34								17.45	19	16	30					17.45	17	
35								18.15	2	2	10					18.15	18	
36								18.45	2	2	30					18.45	18	
37								19.15	3	3	17					19.15	19	
38								19.45	3	3	30					19.45	19	
39								20.15	5	5	50					20.15	20	
40		20.80	5.70					20.42	5	5	27					20.42	20	
41								21.15	15	18	15					21.15	21	
42								21.45	15	18	30					21.45	21	
43		21.70	0.90					22.15	5	5	5					22.15	22	
44								22.45	5	5	30					22.45	22	
45								23.15	20	30	50					23.15	23	
46								23.45	20	30	30					23.45	23	
47								24.15	18	26	50					24.15	24	
48								24.45	18	26	27					24.45	24	
49								25.15	12	32	50					25.15	25	
50								25.45	12	32	21					25.45	25	
51								26.15	38	12	50					26.15	26	
52								26.45	38	12	12					26.45	26	
53								27.15	19	26	50					27.15	27	
54								27.45	19	26	22					27.45	27	
55								28.15	16	23	50					28.15	28	
56								28.45	16	23	24					28.45	28	
57		28.60	6.90					29.15	21	29	50					29.15	29	
58								29.45	21	29	19					29.45	29	
59								30.15	19	20	50					30.15	30	
60		30.45	1.85					30.45	19	20	26					30.45	30	
61									11	16	46						31	
62									11	16	30						31	

No.		土質柱状図				調査期間 昭和48年6月29日~昭和48年7月2日													
調査名		千葉市中区清掃事務所新築に伴う地盤調査				調査地点		地盤高		調査員		調査地区		ボーリング番号		地下水位			
標尺 (m)	地下水位 (m)	深度 (m)	層厚 (m)	柱状図	土質分類	色調	観察事項	標準貫入試験					相対密度及びコンシステンシー	試料採取		標尺 (m)			
								深度 (m)	打撃回数 (回/cm)		N 値						深度 (m)	番号	
									10	20	30	40		50					
1							腐植物 有機物 若干混入	1.15	1	1	2						1.15		1
2								1.47	15	17	32						1.47		2
3		3.10	3.10		黄褐			2.48	18	15	33						2.15		3
4		4.10	1.00		黄灰 粘土質		汚土少量混入 工部 若干(0.5) 粘着性	3.50	1	1	3						3.50		4
5							汚土腐植物若干 混入	4.15	4	3	10						5.15		5
6		6.20	2.10		黄褐			5.45	3	4	11						5.45		6
7					黄灰		汚土若干混入 雲母少量	7.15											7
8							腐植物少量混入 工部(1.5) 粘着性	7.45	13	13	16	42							8
9								8.15	12	13	13	38							9
10								8.45	11	11	11	33							10
11					黄褐		粘土質一部固結	10.15	9	11	11	31					10.15		10
12							14.60-附近に砂	10.45	11	13	15	39					10.45		11
13								11.15	10	12	12	33							12
14								11.45	9	10	10	29							14
15		15.60	9.00		細砂 黄灰			12.15	4	5	5	14							15
16		16.50	0.90		中砂 暗黄灰		汚土少量 雲母少量 混入 含水量0.1%	15.15	4	5	6	15					16.15		16
17							雲母少量 小礫石 少量混入	16.45	4	5	6	15					16.45		5
18							16.60-附近に目録 片少量混入	17.15	7	15	19	41					18.15		17
19							汚土少量	17.45	19	31		50					18.45		6
20		20.60	4.10		細砂 黄灰			18.15	20	25	5	50							19
21		21.50	0.90		細砂 黄灰		雲母 汚土 見かけ少量 混入	19.36	19	20	11	50							20
22					暗黄灰			20.15	4	6	20	30					21.15		21
23							雲母少量 汚土若干 混入	21.45	4	6	20	30					21.45		7
24		23.70	2.20		細砂 黄灰		粘土質一部固結	22.15	28	22		50							22
25								22.30	5			15							23
26								23.15	17	20	13	50					23.15		23
27							汚土若干混入 雲母少量混入	23.41			6	26					23.41		24
28							粘土質一部固結	24.15	10	19	21	50							25
29								24.45				30							26
30		30.35	6.65		中砂 暗黄灰		粘土質一部固結 少量混入	25.15	19	25	6	50							27
31							27.00-附近に砂 層 粘り硬質	25.37	22	28		50					26.15		26
								26.15				20					26.35		27
								26.35	16	26	8	50							28
								27.15			3	23							29
								27.38	16	19	15	50							30
								28.15			5	25							31
								28.40	19	27	4	50							32
								29.15				21							33
								29.36	18	30		50					30.15		34
								30.15				20					30.35		35
								30.35											36

(様式 A-11)

