

土 質 柱 状 図

報 告 用 紙

調査名・調査地点 千葉市立幕張小学校地質調査

標 高 _____ m

調査年月日 52 年 4 月 18 日 ~ 年 4 月 20 日

ボーリング孔：No. 1

孔内水位 2.20 m

調査担当者 _____

標 尺 m	標 高 m	深 さ m	層 厚 m	現 場 観 察 記 録				標準貫入試験										試料採取							
				土質記号	土質名	色調	記事	深さ m	打撃 回数 貫入量 cm	10cmごとの 打撃回数			N 値						試料 番号	深さ m	採取 方法				
										10 cm	20 cm	30 cm	0	10	20	30	40	50	60						
1					中粒砂・細粒 砂 混合	茶 褐 色	粒度は均一でなく 中・細砂混入。 上部はシルト含む	1.15	8/30	2	3	3									1-1	1.15	○		
2										1.45															
										2.15	9/30	2	3	4									1-2	2.15	○
										2.45															
3										3.15	16/30	3	6	7									1-3	3.15	○
										3.45															
4										4.15	17/30	4	6	7									1-4	4.15	○
										4.45															
5					若干の砂礫を含む 含水比は大位	色	5.15	27/30	7	9	11										1-5	5.15	○		
									5.45																
6									6.15	13/30	3	4	6									1-6	6.15	○	
									6.45																
7									7.15	15/30	3	5	7									1-7	7.15	○	
									7.45																
8		8.50	8.50						8.15	16/30	4	5	7									1-8	8.15	○	
									8.45																
9		8.80	0.30		中・粗砂	茶褐色	8.45~8.8部分に小 石混り中2~3%の落 し層を挟む。粗粒 砂も含む。含水比大位	9.15	36/30	7	12	17									1-9	9.15	○		
					細 粒 砂	青 灰 色	9.45																		
10									10.10	43/30	7	15	21									1-10	10.10	○	
									10.40																
11									11.10	43/30	7	15	21									1-11	11.10	○	
									11.40																
12									12.10	45/30	9	15	21									1-12	12.10	○	
									12.40																
13									13.05	50/28	11	18	21/8									1-13	13.05	○	
									13.35																
14									14.05	51/30	12	16	23									1-14	14.05	○	
									14.35																
15							暗 灰 色		15.05	48/30	11	13	24										1-15	15.05	○
									15.35																
16									16.05	48/30	11	14	23									1-16	16.05	○	
									16.35																
17							17.05	50/28	12	18	20/8									1-17	17.05	○			
							17.35																		
18							18.05	51/30	12	18	21									1-18	18.05	○			
							18.35																		
19		19.00	10.20		中細砂混り	暗灰色	19.05	42/30	10	13	19										1-19	19.05	○		
									19.35																
20		20.35	1.35						20.05	41/30	9	12	20									1-20	20.05	○	
							20.35																		
21																									
22																									
23																									
24																									
25																									
26																									
27																									
28																									
29																									
30																									

備 考：

試料採取方法の記号

● シンウォールサンプラー

○ 貫入試験用サンプラー

● デニソン型サンプラー

⊕ フォイルサンプラー

× そ の 他