

土質柱状図

報告用紙

調査名・調査地点 千草台公民館新築地質調査委託 標高 BM-1.22 m 調査年月日 53年4月23日~53年4月25日

ボーリング孔: No. 孔内水位 1.70 m 調査担当者

標尺 m	標高 m	深さ m	層厚 m	現場観察記録				標準貫入試験										試料採取						
				土質記号	土質名	色調	記事	深さ m	打撃回数 貫入量 cm	10cmごとの 打撃回数			N 値						試料番号	採取方法				
										10 cm	20 cm	30 cm	0	10	20	30	40	50	60					
1				X	埋土	茶褐色	ローソク砂、主として埋土	1.46	1/46				●											
2		2.70	2.70								2.16	1/60	9/5	1/45		●								
3		3.80	1.10						シルト	暗褐色	有機物質植物混入	2.76	1/60	0/20	1/40		●							
4				V	黄植土	暗褐色	含水大に非常に軟弱、草根等、植物質多量混入、有機少量混入	3.76	1/65	0/15	1/50		●											
5											4.80	1/65	0/10	1/55		●								
6		6.60	2.80								5.82	0/60					●							
7				V	細砂	黄褐色	10.60m附近より粗砂若干混入 全体的に浮石混入 含水小	6.73	1/30	3	4	11		●										
8											7.10	1/30	5	6	6		●							
9											8.10	2/30	6	7	8		●							
10											9.46	30/130	10	11	4		●							
11											10.46	2/10	6	7	8		●							
12											11.46	1/35	6	6	6		●							
13											12.46	2/35	6	7	8		●							
14				V	シルト	黄褐色	14.60m附近より粗砂若干混入	13.46	1/30	0	1	1		●										
15		15.60	2.00								14.61	2/30	0	1	1		●							
16											15.61	5/30	2	1	2		●							
17				V	シルト	暗褐色	全体的に粗砂、植物質少量混入、下部砂が規則的に若干混入	16.61	6/30	2	2	2		●										
18											17.61	1/30	2	3	2		●							
19		18.70	2.10								18.46	28/130	5	8	15		●							
20				V	シルト混り砂	青灰色	砂は細砂、シルト、泥岩、型母片若干混入	19.46	26/130	11	16	19		●										
21		20.70	2.00								20.46	5/30	11	17	22		●							
22											21.46	5/20	19	31			●							
23				V	細砂	青灰色	全体的に型母片、泥岩混入 含水小	22.46	5/25	25	35			●										
24											23.46	5/11	42	11			●							
25											24.46	5/12	21	10	2		●							
26				V			26.60m附近より粗砂、シルト、薄層に少量粘土	25.46	5/13	35	15	13		●										
27											26.46	5/11	41	11			●							
28											27.46	5/9					●							
29				V			29.60m附近より調査地あり	28.46	5/6					●										
30		30.23	2.53								29.46	5/6					●							

備考:

試料採取方法の記号

- シンウォールサンプラー
- 貫入試験用サンプラー

- デニソン型サンプラー
- ⊕ フォイルサンプラー
- × その他